

L Number	Hits	Search Text	DB	Time stamp
-	207	(print\$3 near10 control\$3) same (separ\$4 or remov\$3 or break\$3) same (blank or clean or empty or new) same (medium or paper\$1 or transparency)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 15:09
-	4	((print\$3 near10 control\$3) same (separ\$4 or remov\$3 or break\$3) same (blank or clean or empty or new) same (medium or paper\$1 or transparency)) and 358/1.15.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 14:58
-	99	(print\$3 near10 control\$3) same (separa\$4 or remov\$3) same (blank or paper) and (358/1.11-1.17.ccls.)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 15:09
-	13	(print\$3 near10 control\$3) same (separ\$4 or remov\$3 or break\$3) same (blank or clean or empty or new) same (medium or paper\$1 or transparency) and (358/1.11-1.17.ccls.)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 15:23
-	207	(print\$3 near10 control\$3) same (separ\$4 or remov\$3 or break\$3) same (blank or clean or empty or new) same (medium or paper\$1 or transparency)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/07 13:44
-	24	(print\$3 near10 control\$3) same (separ\$4 or remov\$3 or break\$3) same (blank or clean or empty or new) same (medium or paper\$1 or transparency) same (insert\$4)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 15:31
-	759	(print\$3 adj control\$6) and (predetermin\$3 or before) and (blank or white or clear or empty) and (paper or medium) and (358/1.11-1.17.ccls.)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 15:48
-	5	(print\$3 adj control\$6) same (predetermin\$3 or before) same (blank or white or clear or empty) same (paper or medium) and (358/1.11-1.17.ccls.)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 15:57
-	95	(print\$3 or fax\$3 or scann\$3) same (predetermin\$3 or before) same (blank or white or clear or empty) same (paper or medium) and (358/1.11-1.17.ccls.)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 15:59
-	124	"printing control apparatus"	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 16:46
-	4	"printing control apparatus" and "blank paper"	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/01 16:50
-	20	printing and "separation page"	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/02 10:02
-	18	("3873083" "4188025" "4352012" "4480825" "4712786" "4977432" "4989191" "5007625" "5012932" "5156384" "5316279" "5513013" "5709374" "5741009" "5790915" "5848346" "5897250" "6089559").PN.	USPAT	2003/07/01 16:53
-	40	((print\$3 near10 control\$5) same (check\$3 or compar\$3 or inspect\$3 or test\$3) same (order\$3 or arrang\$5 or class\$7) same (predetermin\$3 or before or forecast) same (medium or paper or mean or document or blank)) same (invalida\$3 or cancel\$3 or end\$3 or eliminat\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/02 10:26
-	137	(print\$3 near10 control\$5) same (check\$3 or compar\$3 or inspect\$3 or test\$3) same (order\$3 or arrang\$5 or class\$7) same (predetermin\$3 or before or forecast) same (medium or paper or mean or document or blank)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/02 10:59

-	407	("printing control" and printer) and checking	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/02 11:00
-	887	("printing control" and printer) and check\$3	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 11:01
-	627	((("printing control" and printer) and check\$3) and separat\$3	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 11:01
-	372	((("printing control" and printer) and check\$3) and separat\$3) and insert\$3	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 11:02
-	356	((("printing control" and printer) and check\$3) and separat\$3) and insert\$3) and order\$3	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 11:02
-	328	(((((("printing control" and printer) and check\$3) and separat\$3) and insert\$3) and order\$3) and (medium or paper)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 11:04
-	208	((((((("printing control" and printer) and check\$3) and separat\$3) and insert\$3) and order\$3) and (medium or paper)) and (first or last) and (blank or page)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 11:05
-	161	((((((("printing control" and printer) and check\$3) and separat\$3) and insert\$3) and order\$3) and (medium or paper)) and (first or last) and (blank or page)) and (predetermin\$3) and set\$3 and (output)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 11:36
-	23	5316279.URPN.	USPAT	2003/07/02 15:11
-	23	5316279.URPN.	USPAT	2003/07/02 15:12
-	4	5704602.URPN.	USPAT	2003/07/02 15:31
-	0	"08732759"	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/02 15:52
-	0	("8732759.rln.").PN.	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 09:43
-	0	("8732759").PN.	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 09:43
-	1	"separation printing" and "printing control"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 16:12
-	269	"separation printing"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 16:19
-	0	"printing order" and "first page" and "last or final page"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 09:43
-	171	"printing control method"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 16:22
-	0	"printing control method" and "separat\$3 print\$3"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 16:23

-	0	"printing control method" and "separation printing"	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/02 16:23
-	89	"printing control method" and separat\$3	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/02 17:04
-	168604	printer\$1	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/03 10:32
-	29945	printer\$1.ab.	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/03 10:33
-	4	printer\$1.ab. and "separation page"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/03 10:34
-	11	("5504843" "5513013" "5547178" "5644685" "5659164" "5704602" "5709374" "5710874" "5715381" "5762329" "5869824").PN.	USPÄT	2003/07/03 11:20
-	178	printing adj control adj method	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/03 16:01
-	30	(printing adj control adj method) and first and final and page	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/03 14:00
-	8	(print\$5 near5 method) same (check\$3 or compar\$3 or analyz\$3) same (order\$3 or arrang\$5 or set\$4) same (first or ascend\$4 or descend\$4) same (final or last or end) same (page or medium)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/03 14:15
-	1485	Printing adj order	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/03 15:54
-	65	(Printing adj order) and (ascend\$4 or descend\$4)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/03 15:53
-	10	(Printing adj order) and ("blank output" or "blank paper" or "blank output")	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/03 16:01
-	40	(printing adj control adj method) and blank and output	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/07 13:16
-	357	print\$3 and "blank page"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/07 12:19
-	42	(print\$3 and "blank page") and "no data" and output	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/07 13:04
-	99	"printing control method" and (empty or blank or page) same (output or result or printing or data)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 09:42
-	14	(printing adj control adj method) and "blank page"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/07 13:38

-	45	(print\$3 near10 control\$3) same (check or compar\$3 or insepect\$3) same (page or medium) same (output or blank) same (invalidat\$5 or detect\$4)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/07 13:58
-	53	printing with "blank page"	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/07 14:05
-	32	(separa\$4 adj1 (paper or sheet)) with (transparency)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 11:41
-	13	(separa\$4 adj1 (paper or sheet)) with (transparency)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:28
-	26	((separa\$4 adj1 (paper or sheet)) with (transparency)) not @ad>19981222 not continuation	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 11:39
-	143	(separa\$4 adj1 (paper or sheet)) with (transparen\$3)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 11:44
-	91	((separa\$4 adj1 (paper or sheet)) with (transparen\$3)) not @ad>19981222 not continuation	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 11:45
-	5	print\$6 same (blank adj1 (page or sheet)) same (no adj1 (output or data))	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 13:08
-	856	print\$6 same (blank adj1 (page or sheet))	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 13:13
-	491	(print\$6 same (blank adj1 (page or sheet))) not @ad>19981222 not continuation	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 13:13
-	54	((print\$6 same (blank adj1 (page or sheet))) not @ad>19981222 not continuation) same (detect\$3 or sav\$3 or function)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:24
-	0	(sav\$4 adj1 mode) with (separa\$3 adj(sheet or page or paper))	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:26
-	14535	(sav\$4 or print\$5) adj1 (mode or function)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:28
-	0	(separa\$4 adj1 (paper or sheet)) with (sav\$3 adj1 mode)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:38
-	0	(separa\$4 adj1 (paper or sheet)) same (sav\$3 adj1 mode)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:42
-	45	(separa\$4 adj1 (paper or sheet)) same (sav\$3)	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:46
-	38	((separa\$4 adj1 (paper or sheet)) same (sav\$3)) not @ad>19981222 not continuatoin	USPÄT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:44

-	34	((separa\$4 adj1 (paper or sheet)) same (sav\$3)) not @ad>19981222 not continuation	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:44
-	12	printers with saving adj1 (mode or function or setting)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/09 14:51
-	0	(sav\$4 adj1 state) same (invalidat\$3) same print\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/09 15:01
-	83	(sav\$4 adj1 state) same print\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/09 15:01
-	54	((sav\$4 adj1 state) same print\$3) not @ad>19981222 not continuation	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/09 15:08
-	12	saving adj1 function with printing	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/09 15:11
-	256	(check\$6 or set\$6) same (separat\$5 adj1 (sheet or banner or page or paper)) same (order\$5 or ascend\$5 or descend\$6)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:09
-	179	((check\$6 or set\$6) same (separat\$5 adj1 (sheet or banner or page or paper)) same (order\$5 or ascend\$5 or descend\$6)) and @ad<19981222	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 16:54
-	17	((check\$6 or set\$6) same (separat\$5 adj1 (sheet or banner or page or paper)) same (order\$5 or ascend\$5 or descend\$6)) and @ad<19981222) and 358/\$6	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:11
-	195	check\$5 same (sav\$6 adj1 state)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:17
-	121	(check\$5 same (sav\$6 adj1 state)) and @ad<19981222	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:13
-	1	((check\$5 same (sav\$6 adj1 state)) and @ad<19981222) and 358/\$10.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:14
-	4	((check\$5 same (sav\$6 adj1 state)) and @ad<19981222) and 358/\$10	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:17
-	8	check\$5 same (sav\$6 adj1 paper)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:22
-	487	(check\$5 or set\$6) same (blank adj1(paper or sheet or page)) and @ad<19981222	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:27
-	13344	(separat\$4 adj1 (page or sheet or paper))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:29
-	47	((check\$5 or set\$6) same (blank adj1(paper or sheet or page)) and @ad<19981222) and ((separat\$4 adj1 (page or sheet or paper)))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/07/14 17:29